


Габаритно-присоединительные размеры электродвигателей ВА


Конструктивное исполнение 10...1



Тип	Полюсов	Габаритные размеры			Установочные и присоединительные размеры												
		l30	h31	d30	b10	b11	l10	l11	l31	d1	l1	b1	B31	h5	h1	h	d10
		L	HD	AC	A	AB	B	BB	C	D	E	F	AD	GA	GD	H	K
BA80A	2, 4, 6, 8	330	340	165	125	165	100	135	50	22	50	6	180	24,5	6	80	10
BA80B		330	340	165	125	165	100	135	50	22	50	6	180	24,5	6	80	10
BA90LA	2, 4, 6, 8	370	355	180	140	180	125	135	56	24	50	8	180	27	7	90	10
BA90LB	8	395	355	180	140	180	125	160	56	24	50	8	180	27	7	90	10
BA100S	2, 4	448	360	205	160	200	112	180	63	28	60	8	180	31	7	100	12
BA100L	2, 4, 6, 8	448	360	205	160	200	140	180	63	28	60	8	180	31	7	100	12
BA112MA	2, 4, 6, 8	500	380	225	190	245	140	180	70	32	80	10	200	35	8	112	12
BA112MB	6, 8	500	380	225	190	245	140	180	70	32	80	10	200	35	8	112	12
BA132S	4, 6, 8	550	470	265	216	280	140	190	89	38	80	10	200	41	8	132	12
BA132M	2, 4, 6, 8	600	470	265	216	280	178	230	89	38	80	10	200	41	8	132	12
BA160S	2	720	500	320	254	330	178	260	110	42	110	14	220	45,5	8	160	15
	4, 6, 8	720	500	320	254	330	178	260	110	48	110	14	220	52	9	160	15
BA160M	2	750	500	320	254	330	210	310	110	42	110	14	220	45,5	8	160	15
	4, 6, 8	750	500	320	254	330	210	310	110	48	110	14	220	52	9	160	15
BA180S	2	770	540	360	279	355	203	315	121	48	110	14	220	52	9	180	15
	4	770	540	360	279	355	203	315	121	55	110	16	220	59	10	180	15
BA180M	2	790	540	360	279	355	241	355	121	48	110	14	220	52	9	180	15
	4, 6, 8	770	540	360	279	355	241	355	121	55	110	16	220	59	10	180	15

BA200M	2	850	650	400	318	390	267	370	133	55	140	16	250	59	10	200	19
	4, 6, 8	850	650	400	318	390	267	370	133	60	140	18	250	64	11	200	19
BA200L	2	850	650	400	318	390	305	370	133	55	140	16	250	59	10	200	19
	4, 6, 8	850	650	400	318	390	305	370	133	60	140	18	250	64	11	200	19
BA225M	2	920	695	450	356	435	311	385	149	55	110	16	250	59	10	225	24
	4, 6, 8	920	695	450	356	435	311	385	149	65	140	18	250	69	11	225	24
BA250S	2	965	730	500	406	490	311	430	168	65	140	18	275	69	11	250	24
	4, 6, 8, 10	965	730	500	406	490	311	430	168	75	140	20	275	79	12	250	24
BA250M	2	965	730	500	406	490	349	430	168	65	140	18	275	69	11	250	24
	4, 6, 8, 10	965	730	500	406	490	349	430	168	75	140	20	275	79	12	250	24
BA280S	2	1010	800	560	457	545	368	455	190	70	140	20	275	74,5	12	280	24
	4, 6, 8, 10	1010	800	560	457	545	368	455	190	80	170	22	275	85	14	280	24
BA280M	2	1060	800	560	457	545	419	505	190	70	140	20	275	74,5	12	280	24
	4, 6, 8, 10	1060	800	560	457	545	419	505	190	80	170	22	275	85	14	280	24
BA315S	2	1240	960	630	508	635	406	630	216	75	140	20	350	79,5	12	315	28
	4, 6, 8, 10, 12	1270	960	630	508	635	406	630	216	90	170	25	350	95	14	315	28
BA315M	2	1390	960	630	508	635	457	780	216	75	140	20	350	79,5	12	315	28
	4, 6, 8, 10, 12	1420	960	630	508	635	457	780	216	90	170	25	350	95	14	315	28
BA355S	2	1450	1030	710	610	735	500	710	254	85	170	22	350	90	14	355	28
	4, 6, 8, 10, 12	1480	1030	710	610	735	500	710	254	100	210	28	350	106	16	355	28
BA355M	2	1550	1030	710	610	735	560	810	254	85	170	22	350	90	14	355	28
	4, 6, 8, 10, 12	1580	1030	710	610	735	560	810	254	100	210	28	350	106	16	355	28

Конструктивное исполнение 20...1



Тип	Полюсов	Габаритные размеры				Установочные и присоединительные размеры																
		I30	h31	d30	d24	b10	b11	l10	l11	l31	d1	l1	b1	b31	h5	h1	h	d10	d20	d25	l20	d22 (S)
		L	HD	AC	P	A	AB	B	BB	C	D	E	F	AD	GA	GD	H	K	M	N	T	FF
BA80A	2, 4, 6, 8	375	340	165	200	125	165	100	135	50	22	50	6	180	24,5	6	80	10	165	130	3,5	165
BA80B		375	340	165	200	125	165	100	135	50	22	50	6	180	24,5	6	80	10	165	130	3,5	165
BA90LA	2, 4, 6, 8	415	355	180	250	140	180	125	135	56	24	50	8	180	27	7	90	10	215	180	3,5	165
BA90LB	8	440	355	180	250	140	180	125	160	56	24	50	8	180	27	7	90	10	215	180	3,5	165
BA100S	2, 4	485	360	205	250	160	200	112	180	63	28	60	8	180	31	7	100	12	215	180	4,0	215
BA100L	2, 4, 6, 8	485	360	205	250	160	200	140	180	63	28	60	8	180	31	7	100	12	215	180	4,0	215
BA112MA	2, 4, 6, 8	560	380	225	300	190	245	140	180	70	32	80	10	200	35	8	112	12	265	230	4,0	215
BA112MB	6, 8	560	380	225	300	190	245	140	180	70	32	80	10	200	35	8	112	12	265	230	4,0	215
BA132S	4, 6, 8	610	470	265	350	216	280	140	190	89	38	80	10	200	41	8	132	12	300	250	4,0	265
BA132M	2, 4, 6, 8	660	470	265	350	216	280	178	230	89	38	80	10	200	41	8	132	12	300	250	4,0	265
BA160S	2	710	500	320	350	254	330	178	260	110	42	110	14	220	45,5	8	160	15	300	250	5,0	300
	4, 6, 8	780	500	320	350	254	330	178	260	110	48	110	14	220	52	9	160	15	300	250	5,0	300
BA160M	2	810	500	320	350	254	330	210	310	110	42	110	14	220	45,5	8	160	15	300	250	5,0	300
	4, 6, 8	810	500	320	350	254	330	210	310	110	48	110	14	220	52	9	160	15	300	250	5,0	300
BA180S	2	830	540	360	400	279	355	203	315	121	48	110	14	220	52	9	180	15	350	300	5,0	300
	4	830	540	360	400	279	355	203	315	121	55	110	16	220	59	10	180	15	350	300	5,0	300
BA180M	2	830	540	360	400	279	355	241	355	121	48	110	14	220	52	9	180	15	350	300	5,0	300
	4, 6, 8	830	540	360	400	279	355	241	355	121	55	110	16	220	59	10	180	15	350	300	5,0	300
BA200M	2	920	650	400	450	318	390	267	370	133	55	140	16	250	59	10	200	19	400	350	5,0	350
	4, 6, 8	920	650	400	450	318	390	267	370	133	60	140	18	250	64	11	200	19	400	350	5,0	350
BA200L	2	920	650	400	450	318	390	305	370	133	55	140	16	250	59	10	200	19	400	350	5,0	350
	4, 6, 8	920	650	400	450	318	390	305	370	133	60	140	18	250	64	11	200	19	400	350	5,0	350
BA225M	2	990	695	450	550	356	435	311	385	149	55	110	16	250	59	10	225	19	500	450	5,0	400
	4, 6, 8	990	695	450	550	356	435	311	385	149	65	140	18	250	69	11	225	19	500	450	5,0	400
BA250S	2	1055	730	500	550	406	490	311	430	168	65	140	18	275	69	11	250	24	500	450	5,0	500
	4, 6, 8, 10	1055	730	500	550	406	490	311	430	168	75	140	20	275	79	12	250	24	500	450	5,0	500
BA250M	2	1055	730	500	550	406	490	349	430	168	65	140	18	275	69	11	250	24	500	450	5,0	500
	4, 6, 8, 10	1055	730	500	550	406	490	349	430	168	75	140	20	275	79	12	250	24	500	450	5,0	500
BA280S	2	1100	800	560	660	457	545	368	455	190	70	140	20	275	74,5	12	280	24	600	550	5,0	500

	4, 6, 8, 10	1100	800	560	660	457	545	368	455	190	80	170	22	275	85	14	280	24	600	550	5,0	500
BA280M	2	1150	800	560	660	457	545	419	505	190	70	140	20	275	74,5	12	280	24	600	550	5,0	500
	4, 6, 8, 10	1150	800	560	660	457	545	419	505	190	80	170	22	275	85	14	280	24	600	550	5,0	500
BA315S	2	1340	960	630	660	508	635	406	630	216	75	140	20	350	79,5	12	315	28	600	550	6,0	600
	4, 6, 8, 10, 12	1370	960	630	660	508	635	406	630	216	90	170	25	350	95	14	315	28	600	550	6,0	600
BA315M	2	1490	960	630	660	508	635	457	780	216	75	140	20	350	79,5	12	315	28	600	550	6,0	600
	4, 6, 8, 10, 12	1520	960	630	660	508	635	457	780	216	90	170	25	350	95	14	315	28	600	550	6,0	600
BA355S	2	1590	1030	710	800	610	735	500	710	254	85	170	22	350	90	14	355	28	740	680	6,0	740
	4, 6, 8, 10, 12	1620	1030	710	800	610	735	500	710	254	100	210	28	350	106	16	355	28	740	680	6,0	740
BA355M	2	1690	1030	710	800	610	735	560	810	254	85	170	22	350	90	14	355	28	740	680	6,0	740
	4, 6, 8, 10, 12	1720	1030	710	800	610	735	560	810	254	100	210	28	350	106	16	355	28	740	680	6,0	740